

```
Imports Edidev.FrameworkEDI

Public Class Form1

    Private Sub btnTranslate_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles btnTranslate.Click
        Dim oEdiDoc As ediDocument
        Dim oSchemas As ediSchemas
        Dim oSegment As ediDataSegment
        Dim sSegmentID As String
        Dim sLoopSection As String
        Dim nArea As Integer
        Dim sValue As String
        Dim sN1Qlfr As String = ""
        Dim sQlfr As String = ""
        Dim sNm1Qlfr As String = ""

        Dim sPath As String = AppDomain.CurrentDomain.BaseDirectory
        Dim sEdiFile As String = "834_5010X220A1.X12"
        Dim sSefFile As String = "834_005010X220A1.SemRef.EVAL0.SEF"      'evaluation SEF file

        'CREATES EDIDOC OBJECT
        oEdiDoc = New ediDocument()

        'THIS MAKES CERTAIN THAT FREDI ONLY USES THE SEF FILE PROVIDED, AND THAT IT DOES
        'NOT USE ITS BUILT-IN STANDARD REFERENCE TABLE TO TRANSLATE THE EDI FILE.
        oSchemas = oEdiDoc.GetSchemas
        oSchemas.EnableStandardReference = False

        'THIS OPTIONS STOPS FREDI FROM KEEPING ALL THE SEGMENTS IN MEMORY
        oEdiDoc.CursorType = DocumentCursorTypeConstants.Cursor_FullScan

        'LOADS THE SEF FILE
        oEdiDoc.LoadSchema(sPath + sSefFile, 0)

        'LOADS THE EDI FILE
        oEdiDoc.LoadEdi(sPath + sEdiFile)

        'GETS THE FIRST DATA SEGMENT
        oSegment = oEdiDoc.FirstDataSegment

        'LOOP THAT WILL TRAVERSE THRU EDI FILE FROM TOP TO BOTTOM
        Do While Not oSegment Is Nothing

            'DATA SEGMENTS WILL BE IDENTIFIED BY THEIR ID, THE LOOP SECTION AND AREA
            '(OR TABLE) NUMBER THAT THEY ARE IN.
            sSegmentID = oSegment.ID
            sLoopSection = oSegment.LoopSection
            nArea = oSegment.Area

            If nArea = 0 Then
                If sLoopSection = "" Then
                    If sSegmentID = "ISA" Then
                        sValue = oSegment.DataElementValue(1)      'Authorization Information Qualifier
                        sValue = oSegment.DataElementValue(2)      'Authorization Information
                        sValue = oSegment.DataElementValue(3)      'Security Information Qualifier
                        sValue = oSegment.DataElementValue(4)      'Security Information
                        sValue = oSegment.DataElementValue(5)      'Interchange ID Qualifier
                        sValue = oSegment.DataElementValue(6)      'Interchange Sender ID
                        sValue = oSegment.DataElementValue(7)      'Interchange ID Qualifier
                        sValue = oSegment.DataElementValue(8)      'Interchange Receiver ID
                        sValue = oSegment.DataElementValue(9)      'Interchange Date
                        sValue = oSegment.DataElementValue(10)     'Interchange Time
                        sValue = oSegment.DataElementValue(11)     'Repetition Separator
                        sValue = oSegment.DataElementValue(12)     'Interchange Control Version Number
                    End If
                End If
            End If
        Loop
    End Sub
End Class
```

```

        ListBox1.Items.Add(oSegment.DataElementValue(13) + " = Interchange Control Number")
        sValue = oSegment.DataElementValue(14)      'Acknowledgment Requested
        sValue = oSegment.DataElementValue(15)      'Usage Indicator
        sValue = oSegment.DataElementValue(16)      'Component Element Separator

    ElseIf sSegmentID = "GS" Then
        sValue = oSegment.DataElementValue(1)      'Functional Identifier Code
        ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Application Sender's Code")
        ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Application Receiver's Code")
        sValue = oSegment.DataElementValue(4)      'Date
        sValue = oSegment.DataElementValue(5)      'Time
        ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Group Control Number")
        sValue = oSegment.DataElementValue(7)      'Responsible Agency Code
        sValue = oSegment.DataElementValue(8)      'Version / Release / Industry Identifier ↵
Code
        End If   'sSegmentID
    End If   'sLoopSection

    ElseIf nArea = 1 Then
        If sLoopSection = "" Then
            If sSegmentID = "ST" Then
                sValue = oSegment.DataElementValue(1)      'Transaction Set Identifier Code
                ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Transaction Set Control" ↵
Number")
                ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Implementation Convention" ↵
Reference")

            ElseIf sSegmentID = "BGN" Then
                sValue = oSegment.DataElementValue(1)      'Transaction Set Purpose Code
                ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Transaction Set Reference" ↵
Number")
                ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Transaction Set Creation Date" ↵
")
                sValue = oSegment.DataElementValue(4)      'Time
                sValue = oSegment.DataElementValue(5)      'Time Code
                sValue = oSegment.DataElementValue(6)      'Reference Identification
                sValue = oSegment.DataElementValue(8)      'Action Code

            ElseIf sSegmentID = "REF" Then      'Transaction Set Policy Number
                sValue = oSegment.DataElementValue(1)      ' Reference Identification Qualifier ↵
(128)
                sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)

            ElseIf sSegmentID = "DTP" Then      'File Effective Date
                sValue = oSegment.DataElementValue(1)      ' Date/Time Qualifier (374)
                sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)
                sValue = oSegment.DataElementValue(3)      ' Date Time Period (1251)

            ElseIf sSegmentID = "QTY" Then      'Transaction Set Control Totals
                sValue = oSegment.DataElementValue(1)      ' Quantity Qualifier (673)
                sValue = oSegment.DataElementValue(2)      ' Quantity (380)
            End If   'Segment ID

        ElseIf sLoopSection = "N1" And sSegmentID = "N1" Then
            'If a loop has more than one instance, the qualifier is checked to differentiate the ↵
loop instances.
            sN1Qlfr = oSegment.DataElementValue(1)  'Entity Identifier Code
        End If   'sLoopSection

        If sN1Qlfr = "P5" Then '1000A SPONSOR NAME
            If sSegmentID = "N1" Then
                sValue = oSegment.DataElementValue(1)      'Entity Identifier Code
                sValue = oSegment.DataElementValue(2)      'Name
                sValue = oSegment.DataElementValue(3)      'Identification Code Qualifier
                ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Sponsor Identifier")
```

```

        End If      'sSegmentID

    ElseIf sN1Qlfr = "IN" Then  '1000B PAYER
        If sSegmentID = "N1" Then
            sValue = oSegment.DataElementValue(1)      'Entity Identifier Code
            sValue = oSegment.DataElementValue(2)      'Name
            sValue = oSegment.DataElementValue(3)      'Identification Code Qualifier
            sValue = oSegment.DataElementValue(4) + " = Insurer Identification Code")
        End If      'sSegmentID

    ElseIf sN1Qlfr = "BO" Or sN1Qlfr = "TV" Then      '1000C TPA/BROKER NAME
        If sSegmentID = "N1" Then
            sValue = oSegment.DataElementValue(1)      'Entity Identifier Code
            sValue = oSegment.DataElementValue(2)      'Name
            sValue = oSegment.DataElementValue(3)      'Identification Code Qualifier
            sValue = oSegment.DataElementValue(4)      'Identification Code

        ElseIf sSegmentID = "ACT" Then      '1100C TPA/BROKER ACCOUNT INFORMATION
            sValue = oSegment.DataElementValue(1)      ' Account Number (508)
            sValue = oSegment.DataElementValue(6)      ' Account Number (508)
        End If      'sSegmentID
    End If

    ElseIf nArea = 2 Then
        If sLoopSection = "INS" Then      '2000 MEMBER LEVEL DETAIL
            If sSegmentID = "INS" Then
                ListBox1.Items.Add(oSegment.DataElementValue(1) + " = Subscriber Indicator")
                ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Individual Relationship Code") ↵
            )
            sValue = oSegment.DataElementValue(3)      ' Maintenance Type Code (875)
            sValue = oSegment.DataElementValue(4)      ' Maintenance Reason Code (1203)
            sValue = oSegment.DataElementValue(5)      ' Benefit Status Code (1216)
            sValue = oSegment.DataElementValue(6, 1)   ' Medicare Plan Code (1218)
            sValue = oSegment.DataElementValue(6, 2)   ' Eligibility Reason Code (1701)
            sValue = oSegment.DataElementValue(6, 3)   ' Eligibility Reason Code (1701)
            sValue = oSegment.DataElementValue(6, 4)   ' Eligibility Reason Code (1701)
            sValue = oSegment.DataElementValue(7)      ' Consolidated Omnibus Budget ↵
Reconciliation Act (COBRA) Qualify (1219)
            sValue = oSegment.DataElementValue(8)      ' Employment Status Code (584)
            sValue = oSegment.DataElementValue(9)      ' Student Status Code (1220)
            sValue = oSegment.DataElementValue(10)     ' Yes/No Condition or Response Code ↵
(1073)
            sValue = oSegment.DataElementValue(11)     ' Date Time Period Format Qualifier ↵
(1250)
            sValue = oSegment.DataElementValue(12)     ' Date Time Period (1251)
            sValue = oSegment.DataElementValue(13)     ' Confidentiality Code (1165)
            sValue = oSegment.DataElementValue(17)     ' Number (1470)

        ElseIf sSegmentID = "REF" Then
            sQlfr = oSegment.DataElementValue(1)      'Reference Identification Qualifier

            If sQlfr = "0F" Then      'Subscriber Identifier
                ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Subscriber Identifier")

            ElseIf sQlfr = "1L" Then      'Member Policy Number
                ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Member Group or Policy" ↵
Number")
ElseIf (sQlfr = "17" Or sQlfr = "23" Or sQlfr = "3H" Or sQlfr = "4A" Or sQlfr = "60" ↵
" Or sQlfr = "ABB" Or sQlfr = "D3" Or sQlfr = "DX" Or sQlfr = "F6" Or sQlfr = "P5" Or sQlfr = "Q4" Or ↵
sQlfr = "QQ" Or sQlfr = "ZZ") Then 'Member Supplemental Identifier
            sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)
        End If

        ElseIf sSegmentID = "DTP" Then      'Member Level Dates
            sQlfr = oSegment.DataElementValue(1)      'Date/Time Qualifier

```

```

        If sQlfr = "356" Then
            sValue = oSegment.DataElementValue(2)      'Date Time Period Format Qualifier
            ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Eligibility Begin")
        ElseIf sQlfr = "357" Then
            sValue = oSegment.DataElementValue(2)      'Date Time Period Format Qualifier
            ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Eligibility Ends")
        Else
            sValue = oSegment.DataElementValue(2)      'Date Time Period Format Qualifier
            ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Status Information" ↵
Effective Date)
        End If
    End If      'Segment ID

    ElseIf sLoopSection = "INS;NM1" Then
        If sSegmentID = "NM1" Then
            sNm1Qlfr = oSegment.DataElementValue(1)    'Entity Identifier Code
        End If

        If sNm1Qlfr = "74" Or sNm1Qlfr = "IL" Then '2100A MEMBER NAME
            If sSegmentID = "NM1" Then          'Member Name
                If sNm1Qlfr = "74" Then
                    sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
                    sValue = oSegment.DataElementValue(3)      ' Name Last or Organization ↵
Name (1035)
                    sValue = oSegment.DataElementValue(4)      ' Name First (1036)
                    sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
                    sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
                    sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
                    sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier ↵
(66)           sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

                ElseIf sNm1Qlfr = "IL" Then
                    sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
                    ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Insured or Subscriber" ↵
Last Name")
                    ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Insured or Subscriber" ↵
First Name")
                    sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
                    sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
                    sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
                    sQlfr = oSegment.DataElementValue(8)      ' Identification Code Qualifier ↵
(66)           If sQlfr = "34" Then
                        ListBox1.Items.Add(oSegment.DataElementValue(9) + " = Insured or" ↵
Subscriber Social Security Number")
                        ElseIf sQlfr = "ZZ" Then
                            ListBox1.Items.Add(oSegment.DataElementValue(9) + " = Insured or" ↵
Subscriber Mutually Defined Number")
                            End If
                        End If

                    ElseIf sSegmentID = "PER" Then      'Member Communications Numbers
                        sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
                        sValue = oSegment.DataElementValue(2)      ' Name (93)
                        sQlfr = oSegment.DataElementValue(3)      ' Communication Number Qualifier ↵
(365)           If sQlfr = "HP" Then
                            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Home Phone Number")
                        ElseIf sQlfr = "WP" Then
                            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Work Phone Number")
                        ElseIf sQlfr = "CP" Then
                            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Cell Phone Number")
                        ElseIf sQlfr = "FX" Then
                            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Fax Phone Number")

```

```

        ElseIf sQlfr = "TE" Then
            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Telephone Phone"      ↵
Number")
        ElseIf sQlfr = "WP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Work Phone Number")
        ElseIf sQlfr = "EM" Then
            ListBox1.Items.Add(oSegment.DataElementValue(4) + " = Email")
        End If

        sQlfr = oSegment.DataElementValue(5)          ' Communication Number Qualifier    ↵
(365)
        If sQlfr = "HP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Home Phone Number")
        ElseIf sQlfr = "WP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Work Phone Number")
        ElseIf sQlfr = "CP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Cell Phone Number")
        ElseIf sQlfr = "FX" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Fax Phone Number")
        ElseIf sQlfr = "TE" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Telephone Phone"      ↵
Number")
        ElseIf sQlfr = "WP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Work Phone Number")
        ElseIf sQlfr = "EM" Then
            ListBox1.Items.Add(oSegment.DataElementValue(6) + " = Email")
        End If

        sQlfr = oSegment.DataElementValue(7)          ' Communication Number Qualifier    ↵
(365)
        If sQlfr = "HP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Home Phone Number")
        ElseIf sQlfr = "WP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Work Phone Number")
        ElseIf sQlfr = "CP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Cell Phone Number")
        ElseIf sQlfr = "FX" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Fax Phone Number")
        ElseIf sQlfr = "TE" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Telephone Phone"      ↵
Number")
        ElseIf sQlfr = "WP" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Work Phone Number")
        ElseIf sQlfr = "EM" Then
            ListBox1.Items.Add(oSegment.DataElementValue(8) + " = Email")
        End If

        ElseIf sSegmentID = "N3" Then      'Member Residence Street Address
            ListBox1.Items.Add(oSegment.DataElementValue(1) + " = Insured or Subscriber"   ↵
Address Information")
            sValue = oSegment.DataElementValue(2)          ' Address Information (166)

        ElseIf sSegmentID = "N4" Then      'Member City, State, ZIP Code
            ListBox1.Items.Add(oSegment.DataElementValue(1) + " = Insured or Subscriber"   ↵
City Name")
            sValue = oSegment.DataElementValue(2)          ' State or Province Code (156)
            sValue = oSegment.DataElementValue(3)          ' Postal Code (116)
            sValue = oSegment.DataElementValue(4)          ' Country Code (26)
            sValue = oSegment.DataElementValue(5)          ' Location Qualifier (309)
            sValue = oSegment.DataElementValue(6)          ' Location Identifier (310)
            sValue = oSegment.DataElementValue(7)          ' Country Subdivision Code (1715)

        ElseIf sSegmentID = "DMG" Then      'Member Demographics
            sValue = oSegment.DataElementValue(1)          ' Date Time Period Format Qualifier ↵
(1250)
            ListBox1.Items.Add(oSegment.DataElementValue(2) + " = Insured or Subscriber"   ↵

```

```

    Birth Date")
        ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Insured or Subscriber" ↵
    Gender Code")
        sValue = oSegment.DataElementValue(4)      ' Marital Status Code (1067)
        sValue = oSegment.DataElementValue(5, 1)    ' Race or Ethnicity Code (1109) ↵
        sValue = oSegment.DataElementValue(5, 2)    ' Code List Qualifier Code ↵
    (1270)
        sValue = oSegment.DataElementValue(5, 3)    ' Industry Code (1271)
        sValue = oSegment.DataElementValue(6)        ' Citizenship Status Code (1066)
        sValue = oSegment.DataElementValue(10)       ' Code List Qualifier Code (1270)
        sValue = oSegment.DataElementValue(11)       ' Industry Code (1271)

    ElseIf sSegmentID = "EC" Then      'Employment Class
        sValue = oSegment.DataElementValue(1)      ' Employment Class Code (1176)
        sValue = oSegment.DataElementValue(2)      ' Employment Class Code (1176)
        sValue = oSegment.DataElementValue(3)      ' Employment Class Code (1176)

    ElseIf sSegmentID = "ICM" Then      'Member Income
        sValue = oSegment.DataElementValue(1)      ' Frequency Code (594)
        sValue = oSegment.DataElementValue(2)      ' Monetary Amount (782)
        sValue = oSegment.DataElementValue(3)      ' Quantity (380)
        sValue = oSegment.DataElementValue(4)      ' Location Identifier (310)
        sValue = oSegment.DataElementValue(5)      ' Salary Grade (1214)

    ElseIf sSegmentID = "AMT" Then      'Member Policy Amounts
        sValue = oSegment.DataElementValue(1)      ' Amount Qualifier Code (522)
        sValue = oSegment.DataElementValue(2)      ' Monetary Amount (782)

    ElseIf sSegmentID = "HLH" Then      'Member Health Information
        sValue = oSegment.DataElementValue(1)      ' Health-Related Code (1212)
        sValue = oSegment.DataElementValue(2)      ' Height (65)
        sValue = oSegment.DataElementValue(3)      ' Weight (81)

    ElseIf sSegmentID = "LUI" Then      'Member Language
        sValue = oSegment.DataElementValue(1)      ' Identification Code Qualifier ↵
    (66)
        sValue = oSegment.DataElementValue(2)      ' Identification Code (67)
        sValue = oSegment.DataElementValue(3)      ' Description (352)
        sValue = oSegment.DataElementValue(4)      ' Use of Language Indicator (1303)
    End If      ' sSegmentID = "LUI"

    ElseIf sNm1Qlfr = "70" Then '2100B INCORRECT MEMBER NAME
        If sSegmentID = "NM1" Then      'Incorrect Member Name
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
            sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name ↵
    (1035)
            sValue = oSegment.DataElementValue(4)      ' Name First (1036)
            sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
            sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
            sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
            sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier ↵
    (66)
            sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

    ElseIf sSegmentID = "DMG" Then      'Incorrect Member Demographics
        sValue = oSegment.DataElementValue(1)      ' Date Time Period Format Qualifier ↵
    (1250)
        sValue = oSegment.DataElementValue(2)      ' Date Time Period (1251)
        sValue = oSegment.DataElementValue(3)      ' Gender Code (1068)
        sValue = oSegment.DataElementValue(4)      ' Marital Status Code (1067)
        sValue = oSegment.DataElementValue(5, 1)    ' Race or Ethnicity Code (1109) ↵
    (1270)
        sValue = oSegment.DataElementValue(5, 2)    ' Code List Qualifier Code ↵

```

```

        sValue = oSegment.DataElementValue(5, 3)      ' Industry Code (1271)
        sValue = oSegment.DataElementValue(6)          ' Citizenship Status Code (1066)
        sValue = oSegment.DataElementValue(10)         ' Code List Qualifier Code (1270)
        sValue = oSegment.DataElementValue(11)         ' Industry Code (1271)
    End If      ' sSegmentID = "DMG"

    ElseIf sNm1Qlfr = "31" Then '2100C MEMBER MAILING ADDRESS
        If sSegmentID = "NM1" Then      'Member Mailing Address
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)

        ElseIf sSegmentID = "N3" Then      'Member Mail Street Address
            sValue = oSegment.DataElementValue(1)      ' Address Information (166)
            sValue = oSegment.DataElementValue(2)      ' Address Information (166)

        ElseIf sSegmentID = "N4" Then      'Member Mail City, State, ZIP Code
            sValue = oSegment.DataElementValue(1)      ' City Name (19)
            sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
            sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
            sValue = oSegment.DataElementValue(4)      ' Country Code (26)
            sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
        End If      ' sSegmentID = "N4"

    ElseIf sNm1Qlfr = "36" Then '2100D MEMBER EMPLOYER
        If sSegmentID = "NM1" Then      'Member Employer
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
            sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name ↵
(1035)           sValue = oSegment.DataElementValue(4)      ' Name First (1036)
            sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
            sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
            sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
            sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier ↵
(66)             sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

        ElseIf sSegmentID = "PER" Then      'Member Employer Communications Numbers
            sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
            sValue = oSegment.DataElementValue(2)      ' Name (93)
            sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier ↵
(365)           sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
            sValue = oSegment.DataElementValue(5)      ' Communication Number Qualifier ↵
(365)           sValue = oSegment.DataElementValue(6)      ' Communication Number (364)
            sValue = oSegment.DataElementValue(7)      ' Communication Number Qualifier ↵
(365)           sValue = oSegment.DataElementValue(8)      ' Communication Number (364)

        ElseIf sSegmentID = "N3" Then      ' Address Information
            sValue = oSegment.DataElementValue(1)      ' Address Information (166)
            sValue = oSegment.DataElementValue(2)      ' Address Information (166)

        ElseIf sSegmentID = "N4" Then      ' Geographic Location
            sValue = oSegment.DataElementValue(1)      ' City Name (19)
            sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
            sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
            sValue = oSegment.DataElementValue(4)      ' Country Code (26)
            sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
    End If      ' sSegmentID = "N4"

    ElseIf sNm1Qlfr = "M8" Then '2100E MEMBER SCHOOL
        If sSegmentID = "NM1" Then      'Member School
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)

```

```

sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name ↵
(1035)

ElseIf sSegmentID = "PER" Then      'Member School Communications Numbers
    sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
    sValue = oSegment.DataElementValue(2)      ' Name (93)
    sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
    sValue = oSegment.DataElementValue(5)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(6)      ' Communication Number (364)
    sValue = oSegment.DataElementValue(7)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(8)      ' Communication Number (364)

ElseIf sSegmentID = "N3" Then      ' Address Information
    sValue = oSegment.DataElementValue(1)      ' Address Information (166)
    sValue = oSegment.DataElementValue(2)      ' Address Information (166)

ElseIf sSegmentID = "N4" Then      ' Geographic Location
    sValue = oSegment.DataElementValue(1)      ' City Name (19)
    sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
    sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
    sValue = oSegment.DataElementValue(4)      ' Country Code (26)
    sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
End If      ' sSegmentID = "N4"

ElseIf sNm1Qlfr = "S3" Then '2100F CUSTODIAL PARENT
    If sSegmentID = "NM1" Then      'Custodial Parent
        sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
        sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
        sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name ↵
(1035)

        sValue = oSegment.DataElementValue(4)      ' Name First (1036)
        sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
        sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
        sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
        sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier ↵
(66)

        sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

ElseIf sSegmentID = "PER" Then      'Custodial Parent Communications Numbers
    sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
    sValue = oSegment.DataElementValue(2)      ' Name (93)
    sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
    sValue = oSegment.DataElementValue(5)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(6)      ' Communication Number (364)
    sValue = oSegment.DataElementValue(7)      ' Communication Number Qualifier ↵
(365)

    sValue = oSegment.DataElementValue(8)      ' Communication Number (364)

ElseIf sSegmentID = "N3" Then      ' Address Information
    sValue = oSegment.DataElementValue(1)      ' Address Information (166)
    sValue = oSegment.DataElementValue(2)      ' Address Information (166)

ElseIf sSegmentID = "N4" Then      ' Geographic Location
    sValue = oSegment.DataElementValue(1)      ' City Name (19)
    sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
    sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
    sValue = oSegment.DataElementValue(4)      ' Country Code (26)
    sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
End If      ' sSegmentID = "N4"

```

```

        ElseIf sNm1Qlfr = "6Y" Or sNm1Qlfr = "9K" Or sNm1Qlfr = "E1" Or sNm1Qlfr = "EI" Or
sNm1Qlfr = "EXS" Or sNm1Qlfr = "GB" Or sNm1Qlfr = "GD" Or sNm1Qlfr = "J6" Or sNm1Qlfr = "LR" Or
sNm1Qlfr = "QD" Or sNm1Qlfr = "S1" Or sNm1Qlfr = "TZ" Or sNm1Qlfr = "X4" Then      '2100G RESPONSIBLE
PERSON
    If sSegmentID = "NM1" Then      'Responsible Person
        sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
        sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
        sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name
(1035)                                     ↵
        sValue = oSegment.DataElementValue(4)      ' Name First (1036)
        sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
        sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
        sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
        sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier
(66)                                         ↵
        sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

        ElseIf sSegmentID = "PER" Then      'Responsible Person Communications Numbers
        sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
        sValue = oSegment.DataElementValue(2)      ' Name (93)
        sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier
(365)                                         ↵
        sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
        sValue = oSegment.DataElementValue(5)      ' Communication Number Qualifier
(365)                                         ↵
        sValue = oSegment.DataElementValue(6)      ' Communication Number (364)
        sValue = oSegment.DataElementValue(7)      ' Communication Number Qualifier
(365)                                         ↵
        sValue = oSegment.DataElementValue(8)      ' Communication Number (364)

        ElseIf sSegmentID = "N3" Then      ' Address Information
        sValue = oSegment.DataElementValue(1)      ' Address Information (166)
        sValue = oSegment.DataElementValue(2)      ' Address Information (166)

        ElseIf sSegmentID = "N4" Then      ' Geographic Location
        sValue = oSegment.DataElementValue(1)      ' City Name (19)
        sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
        sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
        sValue = oSegment.DataElementValue(4)      ' Country Code (26)
        sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
    End If      ' sSegmentID = "N4"

    ElseIf sNm1Qlfr = "45" Then '2100H DROP OFF LOCATION
    If sSegmentID = "NM1" Then      'Drop Off Location
        sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
        sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
        sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name
(1035)                                         ↵
        sValue = oSegment.DataElementValue(4)      ' Name First (1036)
        sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
        sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
        sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)

        ElseIf sSegmentID = "N3" Then      ' Address Information
        sValue = oSegment.DataElementValue(1)      ' Address Information (166)
        sValue = oSegment.DataElementValue(2)      ' Address Information (166)

        ElseIf sSegmentID = "N4" Then      ' Geographic Location
        sValue = oSegment.DataElementValue(1)      ' City Name (19)
        sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
        sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
        sValue = oSegment.DataElementValue(4)      ' Country Code (26)
        sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)
    End If      ' sSegmentID = "N4"
End If      ' sNm1Qlfr

```

```

        ElseIf sLoopSection = "INS;DSB" Then      '2200 DISABILITY INFORMATION
            If sSegmentID = "DSB" Then          'Disability Information
                sValue = oSegment.DataElementValue(1)      ' Disability Type Code (1146)
                sValue = oSegment.DataElementValue(7)      ' Product/Service ID Qualifier (235)
                sValue = oSegment.DataElementValue(8)      ' Medical Code Value (1137)

                ElseIf sSegmentID = "DTP" Then      'Disability Eligibility Dates
                    sValue = oSegment.DataElementValue(1)      ' Date/Time Qualifier (374)
                    sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)                sValue = oSegment.DataElementValue(3)      ' Date Time Period (1251)
            End If      ' sSegmentID = "DTP"

            ElseIf sLoopSection = "INS;HD" Then '2300 HEALTH COVERAGE
                If sSegmentID = "HD" Then      ' Health Coverage
                    sValue = oSegment.DataElementValue(1)      ' Maintenance Type Code (875)
                    ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Insurance Line Code")
                    sValue = oSegment.DataElementValue(4)      ' Plan Coverage Description (1204)
                    sValue = oSegment.DataElementValue(5)      ' Coverage Level Code (1207)
                    sValue = oSegment.DataElementValue(9)      ' Yes/No Condition or Response Code ↵
(1073)                sValue = oSegment.DataElementValue(10)     ' Drug House Code (1211)
                    sValue = oSegment.DataElementValue(11)     ' Yes/No Condition or Response Code ↵
(1073)

                ElseIf sSegmentID = "DTP" Then      'Health Coverage Dates
                    sSqlfr = oSegment.DataElementValue(1)      ' Date/Time Qualifier (374)
                    If sSqlfr = "348" Then
                        sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)                  ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Benefit Begin")
                    ElseIf sSqlfr = "349" Then
                        sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)                  ListBox1.Items.Add(oSegment.DataElementValue(3) + " = Benefit End")
                    End If

                    ElseIf sSegmentID = "AMT" Then      'Health Coverage Policy
                        sValue = oSegment.DataElementValue(1)      ' Amount Qualifier Code (522)
                        sValue = oSegment.DataElementValue(2)      ' Monetary Amount (782)

                    ElseIf sSegmentID = "REF" Then
                        sSqlfr = oSegment.DataElementValue(1)
                        If (sSqlfr = "17" Or sSqlfr = "1L" Or sSqlfr = "9V" Or sSqlfr = "CE" Or sSqlfr = "E8" Or ↵
sSqlfr = "M7" Or sSqlfr = "PID" Or sSqlfr = "RB" Or sSqlfr = "X9" Or sSqlfr = "XM" Or sSqlfr = "XX1" Or ↵
sSqlfr = "XX2" Or sSqlfr = "ZX" Or sSqlfr = "ZZ") Then      'Health Coverage Policy Number
                        sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)

                    ElseIf sSqlfr = "QQ" Then      'Prior Coverage Months
                        sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)
                    End If      ' sSqlfr = "QQ"

                    ElseIf sSegmentID = "IDC" Then      ' Identification Card
                        sValue = oSegment.DataElementValue(1)      ' Plan Coverage Description (1204)
                        sValue = oSegment.DataElementValue(2)      ' Identification Card Type Code (1215)
                        sValue = oSegment.DataElementValue(3)      ' Quantity (380)
                        sValue = oSegment.DataElementValue(4)      ' Action Code (306)
                    End If      ' Segment ID

                    ElseIf sLoopSection = "INS;HD;LX" Then '2310 PROVIDER INFORMATION
                        If sSegmentID = "LX" Then          'Provider Information
                            sValue = oSegment.DataElementValue(1)      ' Assigned Number (554)

                        ElseIf sSegmentID = "NM1" Then      'Provider Name
                            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)

```

```

        sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
        sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name (1035) ↵

        sValue = oSegment.DataElementValue(4)      ' Name First (1036)
        sValue = oSegment.DataElementValue(5)      ' Name Middle (1037)
        sValue = oSegment.DataElementValue(6)      ' Name Prefix (1038)
        sValue = oSegment.DataElementValue(7)      ' Name Suffix (1039)
        sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier (66)
        sValue = oSegment.DataElementValue(9)      ' Identification Code (67)
        sValue = oSegment.DataElementValue(10)     ' Entity Relationship Code (706)

    ElseIf sSegmentID = "N3" Then      'Provider Address
        sValue = oSegment.DataElementValue(1)      ' Address Information (166)
        sValue = oSegment.DataElementValue(2)      ' Address Information (166)

    ElseIf sSegmentID = "N4" Then      ' Geographic Location
        sValue = oSegment.DataElementValue(1)      ' City Name (19)
        sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
        sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
        sValue = oSegment.DataElementValue(4)      ' Country Code (26)
        sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)

    ElseIf sSegmentID = "PER" Then      'Provider Communications Numbers
        sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
        sValue = oSegment.DataElementValue(2)      ' Name (93)
        sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier (365)
        sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
        sValue = oSegment.DataElementValue(5)      ' Communication Number Qualifier (365)
        sValue = oSegment.DataElementValue(6)      ' Communication Number (364)
        sValue = oSegment.DataElementValue(7)      ' Communication Number Qualifier (365)
        sValue = oSegment.DataElementValue(8)      ' Communication Number (364)

    ElseIf sSegmentID = "PLA" Then      'Provider Change Reason
        sValue = oSegment.DataElementValue(1)      ' Action Code (306)
        sValue = oSegment.DataElementValue(2)      ' Entity Identifier Code (98)
        sValue = oSegment.DataElementValue(3)      ' Date (373)
        sValue = oSegment.DataElementValue(5)      ' Maintenance Reason Code (1203)
    End If      ' sSegmentID = "PLA"

    ElseIf sLoopSection = "INS;HD;COB" Then '2320 COORDINATION OF BENEFITS
        If sSegmentID = "COB" Then      'Coordination of Benefits
            sValue = oSegment.DataElementValue(1)      ' Payer Responsibility Sequence Number ↵
Code (1138)
            sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)
            sValue = oSegment.DataElementValue(3)      ' Coordination of Benefits Code (1143)
            sValue = oSegment.DataElementValue(4)      ' Service Type Code (1365)

    ElseIf sSegmentID = "REF" Then      'Additional Coordination of Benefits Identifiers
        sValue = oSegment.DataElementValue(1)      ' Reference Identification Qualifier ↵
(128)
        sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)

    ElseIf sSegmentID = "DTP" Then      'Coordination of Benefits Eligibility Dates
        sValue = oSegment.DataElementValue(1)      ' Date/Time Qualifier (374)
        sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)
        sValue = oSegment.DataElementValue(3)      ' Date Time Period (1251)
    End If      ' sSegmentID = "DTP"

    ElseIf sLoopSection = "INS;HD;COB;NM1" Then '2330 COORDINATION OF BENEFITS RELATED ENTITY
        If sSegmentID = "NM1" Then      'Coordination of Benefits Related Entity
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Entity Type Qualifier (1065)
            sValue = oSegment.DataElementValue(3)      ' Name Last or Organization Name (1035) ↵

            sValue = oSegment.DataElementValue(8)      ' Identification Code Qualifier (66)

```

```

        sValue = oSegment.DataElementValue(9)      ' Identification Code (67)

    ElseIf sSegmentID = "N3" Then      ' Address Information
        sValue = oSegment.DataElementValue(1)      ' Address Information (166)
        sValue = oSegment.DataElementValue(2)      ' Address Information (166)

    ElseIf sSegmentID = "N4" Then      ' Geographic Location
        sValue = oSegment.DataElementValue(1)      ' City Name (19)
        sValue = oSegment.DataElementValue(2)      ' State or Province Code (156)
        sValue = oSegment.DataElementValue(3)      ' Postal Code (116)
        sValue = oSegment.DataElementValue(4)      ' Country Code (26)
        sValue = oSegment.DataElementValue(7)      ' Country Subdivision Code (1715)

    ElseIf sSegmentID = "PER" Then      ' Administrative Communications Contact
        sValue = oSegment.DataElementValue(1)      ' Contact Function Code (366)
        sValue = oSegment.DataElementValue(3)      ' Communication Number Qualifier (365)
        sValue = oSegment.DataElementValue(4)      ' Communication Number (364)
    End If      ' sSegmentID = "PER"

    ElseIf sLoopSection = "INS;LX" Then ' 2710 MEMBER REPORTING CATEGORIES
        If sSegmentID = "LX" Then      'Member Reporting Categories
            sValue = oSegment.DataElementValue(1)      ' Assigned Number (554)
        End If      ' sSegmentID = "LX"

    ElseIf sLoopSection = "INS;LX;N1" Then ' 2750 REPORTING CATEGORY
        If sSegmentID = "N1" Then      'Reporting Category
            sValue = oSegment.DataElementValue(1)      ' Entity Identifier Code (98)
            sValue = oSegment.DataElementValue(2)      ' Name (93)

    ElseIf sSegmentID = "REF" Then      'Reporting Category Reference
        sValue = oSegment.DataElementValue(1)      ' Reference Identification Qualifier ↵
(128)          sValue = oSegment.DataElementValue(2)      ' Reference Identification (127)

    ElseIf sSegmentID = "DTP" Then      'Reporting Category Date
        sValue = oSegment.DataElementValue(1)      ' Date/Time Qualifier (374)
        sValue = oSegment.DataElementValue(2)      ' Date Time Period Format Qualifier ↵
(1250)          sValue = oSegment.DataElementValue(3)      ' Date Time Period (1251)
    End If      ' sSegmentID = "DTP"
    End If      'sLoopSection
End If      'nArea

'GETS THE NEXT DATA SEGMENT
ediDataSegment.Set(oSegment, oSegment.Next)
Loop

MessageBox.Show("Done")

'DESTROY OBJECTS
oSchemas.Dispose()
oEdiDoc.Dispose()

End Sub
End Class

```